

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAJRK1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 28	CA/CAPLUS patent coverage enhanced
NEWS	3	JUL 28	EPFULL enhanced with additional legal status information from the epline Register
NEWS	4	JUL 28	IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS	5	JUL 28	STN Viewer performance improved
NEWS	6	AUG 01	INPADOCDB and INPAFAMDB coverage enhanced
NEWS	7	AUG 13	CA/CAPLUS enhanced with printed Chemical Abstracts page images from 1967-1998
NEWS	8	AUG 15	CAOLD to be discontinued on December 31, 2008
NEWS	9	AUG 15	CAPLUS currency for Korean patents enhanced
NEWS	10	AUG 27	CAS definition of basic patents expanded to ensure comprehensive access to substance and sequence information
NEWS	11	SEP 18	Support for STN Express, Versions 6.01 and earlier, to be discontinued
NEWS	12	SEP 25	CA/CAPLUS current-awareness alert options enhanced to accommodate supplemental CAS indexing of exemplified prophetic substances
NEWS	13	SEP 26	WPIDS, WPINDEX, and WPIX coverage of Chinese and Korean patents enhanced
NEWS	14	SEP 29	IFICLS enhanced with new super search field
NEWS	15	SEP 29	EMBASE and EMBAL enhanced with new search and display fields
NEWS	16	SEP 30	CAS patent coverage enhanced to include exemplified prophetic substances identified in new Japanese-language patents
NEWS	17	OCT 07	EPFULL enhanced with full implementation of EPC2000
NEWS	18	OCT 07	Multiple databases enhanced for more flexible patent number searching
NEWS	19	OCT 22	Current-awareness alert (SDI) setup and editing enhanced
NEWS	20	OCT 22	WPIDS, WPINDEX, and WPIX enhanced with Canadian PCT Applications
NEWS	21	OCT 24	CHEMLIST enhanced with intermediate list of pre-registered REACH substances

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 23:23:13 ON 09 NOV 2008

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 23:23:23 ON 09 NOV 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 7 NOV 2008 HIGHEST RN 1071660-21-3

DICTIONARY FILE UPDATES: 7 NOV 2008 HIGHEST RN 1071660-21-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH July 5, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10566292\Struc 1.str



```

chain nodes :
13 19 20 21 22 23 24
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 14 15 16 17 18
chain bonds :
1-2 10-13 13-14 16-24 18-19 19-20 20-21 21-22 22-23
ring bonds :
1-3 1-7 2-8 2-12 3-4 4-5 5-6 6-7 8-9 9-10 10-11 11-12 14-15 14-18
15-16 16-17 17-18
exact/norm bonds :
13-14 14-15 14-18 15-16 16-17 17-18
exact bonds :
1-2 10-13 16-24 18-19 19-20 20-21 21-22 22-23
normalized bonds :
1-3 1-7 2-8 2-12 3-4 4-5 5-6 6-7 8-9 9-10 10-11 11-12

```

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:CLASS 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS

```

L1 STRUCTURE UPLOADED

=> d

10566292.trn

L1 HAS NO ANSWERS
L1 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> l1

SAMPLE SEARCH INITIATED 23:23:37 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 197 TO ITERATE

100.0% PROCESSED 197 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 3098 TO 4782
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> l1 full

FULL SEARCH INITIATED 23:23:40 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 3753 TO ITERATE

100.0% PROCESSED 3753 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

L3 2 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	178.36	178.57

FILE 'CAPLUS' ENTERED AT 23:23:43 ON 09 NOV 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 Nov 2008 VOL 149 ISS 20
FILE LAST UPDATED: 7 Nov 2008 (20081107/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> 13

L4 5 L3

=> d ibib abs hitstr 1-5

L4 ANSWER 1 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2006:600074 CAPLUS

DOCUMENT NUMBER: 145:180201

TITLE: Proposal of a New Binding Orientation for Non-Peptide
AT1 Antagonists: Homology Modeling, Docking and
Three-Dimensional Quantitative Structure-Activity
Relationship Analysis

AUTHOR(S): Tuccinardi, Tiziano; Calderone, Vincenzo; Rapposelli,
Simona; Martinelli, Adriano

CORPORATE SOURCE: Dipartimento di Scienze Farmaceutiche, Universita di
Pisa, Pisa, 56126, Italy

SOURCE: Journal of Medicinal Chemistry (2006), 49(14),
4305-4316

CODEN: JMCMAR; ISSN: 0022-2623

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English

AB A three-dimensional model of the AT1 receptor was constructed by means of
a homol. modeling procedure, using the x-ray structure of bovine rhodopsin
as the initial template and taking into account the available
site-directed mutagenesis data. The docking of losartan and its active
metabolite EXP3174, followed by 1 ns of mol. dynamics (MD) simulation
inserted into the phospholipid bilayer, suggested a different binding
orientation for these antagonists from those previously proposed.
Furthermore, the docking of several nonpeptide antagonists was used as an
alignment tool for the development of a three-dimensional quant.
structure-activity relationship (3D-QSAR) model, and the good results
confirmed our binding hypothesis and the reliability of the model.


IT 114799-09-6

RL: PAC (Pharmacological activity); PRP (Properties); THU (Therapeutic
use); BIOL (Biological study); USES (Uses)

(proposal of a new binding orientation for non-peptide AT1 antagonists
based on homol. modeling, docking and three-dimensional quant.
structure-activity relationship anal.)

RN 114799-09-6 CAPLUS

CN [1,1'-Biphenyl]-2-carboxylic acid,
4'-[[4-chloro-2-hexyl-5-(hydroxymethyl)-1H-imidazol-1-yl]methyl]- (CA
INDEX NAME)



REFERENCE COUNT: 55 THERE ARE 55 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2001:619582 CAPLUS

DOCUMENT NUMBER: 135:338737

TITLE: Comparative QSAR: Angiotensin II Antagonists

AUTHOR(S): Kurup, Alka; Garg, Rajni; Carini, D. J.; Hansch, Corwin

CORPORATE SOURCE: Department of Chemistry, Pomona College, Claremont, CA, 91711, USA

SOURCE: Chemical Reviews (Washington, D. C.) (2001), 101(9), 2727-2750

CODEN: CHREAY; ISSN: 0009-2665

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English


AB A QSAR study was carried out on nonpeptide angiotensin II antagonists which included a review of the literature on bioactivity and derivation of QSAR equations. The QSAR were divided into 4 groups according to the test system: rabbit, rat, guinea pig and human. Within each group, these are arranged according to potency (log I/C). Also listed is the CMR (calculated molar refractivity) which is similar to molar volume but contains a small element for polarizability, and Clog P values which give an assessment of the hydrophobic effects. The authors also used π as a measure of local hydrophobic binding sites. All the QSAR reported in the study were derived by the authors. The physicochem. parameters were autoloading from their C-QSAR databases and the QSAR regression anal. was executed with a C-QSAR program. The authors derived 39 QSAR equations which provide an overview of the structure-activity relationship for a variety of compds. To the authors knowledge, these are the first QSAR for angiotensin antagonists. The most important conclusion reached is the lack of importance of hydrophobic interactions with the receptors. The relevance of the biphenyl moiety for hydrophobicity is discussed and a model of the pharmacophore is presented.

IT 114799-08-5 114799-09-6


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); PRP (Properties); BIOL (Biological study)
(comparative QSAR of nonpeptide angiotensin II antagonists)

RN 114799-08-5 CAPLUS

CN [1,1'-Biphenyl]-2-carboxylic acid,
4'-[[4-chloro-5-(hydroxymethyl)-2-pentyl-1H-imidazol-1-yl]methyl]- (CA
INDEX NAME)




RN 114799-09-6 CAPLUS
CN [1,1'-Biphenyl]-2-carboxylic acid,
4'-[[4-chloro-2-hexyl-5-(hydroxymethyl)-1H-imidazol-1-yl]methyl]- (CA
INDEX NAME)



REFERENCE COUNT: 73 THERE ARE 73 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN
ACCESSION NUMBER: 1991:492147 CAPLUS
DOCUMENT NUMBER: 115:92147
ORIGINAL REFERENCE NO.: 115:15855a,15858a
TITLE: Nonpeptide angiotensin II receptor antagonists: the
discovery of a series of
N-(biphenylmethyl)imidazoles as potent, orally
active antihypertensives
AUTHOR(S): Carini, David J.; Duncia, John V.; Aldrich, Paul E.;
Chiu, Andrew T.; Johnson, Alexander L.; Pierce,
Michael E.; Price, William A.; Santella, Joseph B.,

III; Wells, Gregory J.; et al.
 CORPORATE SOURCE: Pharm. Div., E. I. Du Pont de Nemours and Co., Inc.,
 Wilmington, DE, 19880-0402, USA
 SOURCE: Journal of Medicinal Chemistry (1991), 34(8), 2525-47
 CODEN: JMCMAR; ISSN: 0022-2623
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI




AB Nonpeptide angiotensin II receptor antagonists I (R = CH₂OH, CH₂OMe, CHO; R₁ = tetrazolyl, (un)substituted triazolyl, CO₂H, CONHR₂, R₂ = OH, OMe, OCH₂Ph, SO₂Ph, NHSO₂CF₃, COCF₃, SO₂CF₃) were prepared and produced a potent antihypertensive effect upon oral administration. The acidic group at the 2'-position of the biphenyl is essential. Only ortho-substituted acids possess both high affinity for the AII receptor and good oral antihypertensive potency. The carboxylic acid group has been replaced with a variety of acidic isosteres, and the tetrazole ring was the most effective.


IT 114799-08-5P 114799-09-6P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (preparation and antihypertensive activity of)

RN 114799-08-5 CAPLUS

CN [1,1'-Biphenyl]-2-carboxylic acid,
 4'-[[4-chloro-5-(hydroxymethyl)-2-pentyl-1H-imidazol-1-yl]methyl]- (CA
 INDEX NAME)




RN 114799-09-6 CAPLUS
 CN [1,1'-Biphenyl]-2-carboxylic acid,
 4'-[[4-chloro-2-hexyl-5-(hydroxymethyl)-1H-imidazol-1-yl]methyl]- (CA
 INDEX NAME)



L4 ANSWER 4 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 1990:118817 CAPLUS
 DOCUMENT NUMBER: 112:118817
 ORIGINAL REFERENCE NO.: 112:20131a,20134a
 TITLE: Preparation of (biphenylmethyl)imidazoles and
 analogs as antihypertensive agents
 INVENTOR(S): Carini, David John; Wong, Pancras Chor Bun; Duncia,
 John Jonas Vytautas
 PATENT ASSIGNEE(S): du Pont de Nemours, E. I., and Co., USA
 SOURCE: Eur. Pat. Appl., 271 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 4
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

EP 324377	A2	19890719	EP 1989-100144	19890105
EP 324377	A3	19910206		
EP 324377	B1	19970416		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
US 5138069	A	19920811	US 1988-279194	19881206
CA 1338238	C	19960409	CA 1988-586904	19881222
WO 8906233	A1	19890713	WO 1989-US52	19890105
W: JP				
JP 03501020	T	19910307	JP 1989-501656	19890105
JP 07025738	B	19950322		
EP 733366	A2	19960925	EP 1996-107930	19890105
EP 733366	A3	19961009		
EP 733366	B1	19980401		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
AT 151755	T	19970515	AT 1989-100144	19890105
ES 2100150	T3	19970616	ES 1989-100144	19890105
AT 164520	T	19980415	AT 1996-107930	19890105
ES 2117463	T3	19980801	ES 1996-107930	19890105
DK 8900051	A	19890708	DK 1989-51	19890106
DK 174948	B1	20040315		
FI 8900070	A	19890708	FI 1989-70	19890106
FI 99012	B	19970613		
FI 99012	C	19970925		
NO 8900075	A	19890710	NO 1989-75	19890106
NO 177265	B	19950508		
NO 177265	C	19950816		
AU 8927771	A	19890713	AU 1989-27771	19890106
AU 617736	B2	19911205		
ZA 8900127	A	19900926	ZA 1989-127	19890106
SU 1814646	A3	19930507	SU 1989-4613475	19890106
HU 64038	A2	19931129	HU 1989-50	19890106
HU 218201	B	20000628		
US 5128355	A	19920707	US 1989-435869	19891113
US 5153197	A	19921006	US 1989-436165	19891113
US 5155118	A	19921013	US 1989-436281	19891113
RU 2017733	C1	19940815	RU 1992-5010637	19920127
US 5210079	A	19930511	US 1992-832638	19920207
US 5354867	A	19941011	US 1993-47883	19930415
PRIORITY APPLN. INFO.:			US 1988-142580	A 19880107
			US 1988-279194	A 19881206
			US 1986-884920	B2 19860711
			US 1987-50341	B2 19870522
			EP 1989-100144	A3 19890105
			WO 1989-US52	W 19890105
			US 1989-373755	B2 19890630
			US 1990-542351	B1 19900622
			US 1990-545240	B1 19900627
OTHER SOURCE(S):	MARPAT 112:118817			
GI				



AB The title compds. [I; R1 = acyl, tetrazolyl, aminoacyl, acylamino, biphenyl, etc.; R2 = H, halo, NO₂, cyano, C1-4 alkyl, etc.; R3 = H, halo, C1-4 alkyl, alkoxy; R6 = C2-10 alkyl, C3-10 alkenyl, alkynyl, C3-8 cycloalkyl, (un)substituted Ph, PhCH₂, etc.; R7 = H, halo, NO₂, cyano, pentafluorophenyl, etc.; R8 = H, cyano, C1-10 (fluoro)alkyl, etc.; r = 0-2] were prepared. Thus, 2-butyl-4-chloro-5-hydroxymethylimidazole was stirred 0.5 h with NaOMe in MeOH and the product stirred overnight with 4'-bromomethyl-2-cyanobiphenyl (preparation given) in DMF to give title compound


II (R = cyano, R4 = H) which was converted in 2 steps to II (R = cyano, R4 = Me). The latter was stirred 2 days at 100° and 11 days at 120° with NaN₃ in DMF containing NH₄Cl to give II (R = 1H-tetrazol-5-yl, R4 = Me) the Na salt of which had IC₅₀ of 0.020 μM for inhibition of angiotensin II receptor binding and showed significant decreases in blood pressure in rats at ≤10 and ≤100 mg/kg i.v. and orally, resp.

IT 114799-08-5P 114799-09-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, as antihypertensive agent)


RN 114799-08-5 CAPLUS

CN [1,1'-Biphenyl]-2-carboxylic acid,
4'-[[4-chloro-5-(hydroxymethyl)-2-pentyl-1H-imidazol-1-yl]methyl]- (CA
INDEX NAME)



RN 114799-09-6 CAPLUS

CN [1,1'-Biphenyl]-2-carboxylic acid,
4'-[[4-chloro-2-hexyl-5-(hydroxymethyl)-1H-imidazol-1-yl]methyl]- (CA
INDEX NAME)



L4 ANSWER 5 OF 5 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 1988:529008 CAPLUS

DOCUMENT NUMBER: 109:129008

ORIGINAL REFERENCE NO.: 109:21501a,21504a

TITLE: Preparation of angiotensin II receptor-blocking (phenylalkyl)imidazoles

INVENTOR(S): Carini, David John; Duncia, John Jonas Vytautas

PATENT ASSIGNEE(S): du Pont de Nemours, E. I., and Co., USA

SOURCE: Eur. Pat. Appl., 314 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent



LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----
EP 253310	A2	19880120	EP 1987-109919	19870709
EP 253310	A3	19900829		
EP 253310	B1	19941026		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, LU, NL, SE				
CA 1334092	C	19950124	CA 1987-540399	19870623
NO 8702863	A	19880112	NO 1987-2863	19870709
NO 176049	B	19941017		
NO 176049	C	19950125		
ES 2063734	T3	19950116	ES 1987-109919	19870709
DK 8703596	A	19880112	DK 1987-3596	19870710
DK 174700	B1	20030922		
FI 8703071	A	19880112	FI 1987-3071	19870710
FI 96025	B	19960115		
FI 96025	C	19960425		
AU 8775596	A	19880121	AU 1987-75596	19870710
AU 599396	B2	19900719		
JP 63023868	A	19880201	JP 1987-171328	19870710
JP 05029351	B	19930430		
HU 45976	A2	19880928	HU 1987-3174	19870710
ZA 8705052	A	19890329	ZA 1987-5052	19870710
SU 1694062	A3	19911123	SU 1987-4203085	19870710
IL 83153	A	19911215	IL 1987-83153	19870710

HU 218461	B	20000828	HU 1975-99020	19870710
US 5128355	A	19920707	US 1989-435869	19891113
US 5153197	A	19921006	US 1989-436165	19891113
US 5155118	A	19921013	US 1989-436281	19891113
PRIORITY APPLN. INFO.:			US 1986-884920	A 19860711
			US 1987-50341	A 19870522
			HU 1987-3174	A 19870710
			US 1988-142580	B2 19880107
			US 1988-279194	A3 19881206
OTHER SOURCE(S):			MARPAT 109:129008	
GI				




AB The title compound [I; R1 = tetrazol-5-yl, 1,2,3-triazol-4-yl, (HO)2S(O)O, (HO)2P(O)O, HPO3, substituted NH2, alkyl, PhCH2, (un)substituted PhCH2CH2, PhCH:CH, (un)modified CO2H, SO3H, etc.; R2 = H, C1-4 alkyl, C1-4 alkoxy, C1-4 acyloxy, MeSO2NH, CF3SO2NH, aryl, furyl, tetrazol-5-yl, Br, Cl, F, iodo, NO2, (un)modified CO2H; R3 = H, C1-4 alkyl, C1-4 alkoxy, Br, Cl, F, iodo; R4 = H, CF3, cyano, Br, Cl, F, iodo; R5 = H, cyano, (un)substituted alkyl, alkenyl; n = 0-2] and their pharmaceutically acceptable salts were prepared as angiotensin II receptor-blocking agents, useful as antihypertensives. 2-Butyl-5-chloro-1H-imidazole-4-methanol was treated with NaOMe in MeOH, and N-alkylated with 4-BrCH2C6H4CN to give benzylimidazolemethanol II (R7 = OH, R8 = cyano). This was chlorinated with SOCl2 and treated with NaCN to give II (R7 = R8 = cyano). The latter was refluxed 6 h in 1:1 12N HCl/HOAc to give II (R7 = R8 = CO2H) (III). III inhibited angiotensin II binding in rat adrenal cortical microsomes with an IC50 of 1.80 μ M and was active in reducing blood pressure in rats at 10 mg/kg i.v.

IT 114799-08-5P 114799-09-6P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of, as antihypertensive)

RN 114799-08-5 CAPLUS

CN [1,1'-Biphenyl]-2-carboxylic acid,
4'-[[4-chloro-5-(hydroxymethyl)-2-pentyl-1H-imidazol-1-yl]methyl]- (CA
INDEX NAME)



RN 114799-09-6 CAPLUS
 CN [1,1'-Biphenyl]-2-carboxylic acid,
 4'-[[4-chloro-2-hexyl-5-(hydroxymethyl)-1H-imidazol-1-yl]methyl]- (CA
 INDEX NAME)



=> log h		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	27.73	206.30
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-4.00	-4.00

SESSION WILL BE HELD FOR 120 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 23:24:34 ON 09 NOV 2008